



Australia's premium manufacturer of medical and laboratory products

**Product Specification Sheet** 

Series Hot Air Sterilizers

Model h-1200

1200 litre hot air sterilizer







Australia's premium manufacturer of medical and laboratory products

**Product Specification Sheet** 

Series Hot Air Sterilizers

Model h-1200

1200 litre hot air sterilizer

Chamber capacity 800 Litres

Standard dual chamber design 1 set of shelves per door

Chamber width 705 mm
Chamber depth 600 mm
Chamber height 849 mm

Single chamber design Optional
Chamber width 1490 mm
Chamber depth 600 mm
Chamber height 849 mm

Chamber material Stainless Steel 304L

External width 1895 mm
External depth 762 mm
External height 1440 mm

External material Durable epoxy powder-coated steel

Recommended clearance 75mm on sides and rear

Temperature range (Ambient + 7C) to 200C

Temperature sensor Pt100
Control accuracy 0.1 C
Temporal stability 0.2 C

Available shelf positions 16 (8 per door)
Shelves supplied 4 (2 per door)
Shelf dimensions 690 x 590 mm

Shelf spacing 95mm Shelf capacity 50 KG

Insulation type Mineral Wool - asbestos free

Insulation thickness 50mm

Steridium Pty Ltd | Brisbane | Australia | www.steridium.com | sales@steridium.com | +61 7 55 931 352





Australia's premium manufacturer of medical and laboratory products

**Product Specification Sheet** 

Series Hot Air Sterilizers

Model h-1200

1200 litre hot air sterilizer

Circulating fan

Sterilizing cycle 1 touch start to finish

Controller type Multifunction intelligent digital PID-microprocessor
Readout Digital LCD readout of set and actual temperature

1

Temperature alarms High | low | deviation

Country of origin Australia

## **Options / Accessories**

- · Single chamber design
- Additional shelves
- RS232 or RS485 comms module
- Ethernet comms module
- ISPM 15 compliant crating for export
- Calibration certificate
- Swivel castors Front lockable

Steridium Pty Ltd | Brisbane | Australia | www.steridium.com | sales@steridium.com | +61 7 55 931 352